


ZIRCONIUM ABRASIVE DISCS AND DISC WITH DIAMOND SEGMENTS

MADE IN ITALY




274CV100G24 274CV100G40 274CV100G60 274CV100G80
274CV100G100 274CV100G120



250PSDA



250P24G



250P24R

- The zirconium abrasive discs Ø 115 mm (4 1/2") must be used only with planetary (free floating or geared).
- The zirconium abrasive discs Ø 115 mm (4 1/2") allow the finishing / polishing of parquet, wood flooring, cement, marble, etc...
- The disc with diamond segments allows to remove, roughen, scarifying of cement, marble, granite, etc..
- The disc with diamond segments allows to remove hard adhesives.
- Diamond segment are replaceable.

ZIRCONIUM ABRASIVE DISCS WITH VELCRO ATTACHMENT

Part No.	Barcode	Quantity	Description	Ø	Grain	Length	Width	Weight
274CV100G24	8024648015617	24	Zirconium abrasive discs with Velcro attachment	115 mm - 4 1/2"	24	10x10xh 5 cm	4"x4"xh 2"	0,5 Kg 16.9 oz
274CV100G40	8024648015624	24	Zirconium abrasive discs with Velcro attachment	115 mm - 4 1/2"	40	10x10xh 5 cm	4"x4"xh 2"	0,5 Kg 16.9 oz
274CV100G60	8024648015631	24	Zirconium abrasive discs with Velcro attachment	115 mm - 4 1/2"	60	10x10xh 5 cm	4"x4"xh 2"	0,4 Kg 13.2 oz
274CV100G80	8024648015648	24	Zirconium abrasive discs with Velcro attachment	115 mm - 4 1/2"	80	10x10xh 5 cm	4"x4"xh 2"	0,4 Kg 13.2 oz
274CV100G100	8024648015938	24	Zirconium abrasive discs with Velcro attachment	115 mm - 4 1/2"	100	10x10xh 5 cm	4"x4"xh 2"	0,3 Kg 10.1 oz
274CV100G120	8024648015655	24	Zirconium abrasive discs with Velcro attachment	115 mm - 4 1/2"	120	10x10xh 5 cm	4"x4"xh 2"	0,3 Kg 10.1 oz

DISC HOLDER FOR DIAMOND SEGMENTS

Part No.	Barcode	Quantity	Description	Ø	Weight	Dimensions	Weight
250PSDA	8024648060259	1	Disc holder for diamond segments (segments not included)	530 mm 21"	6,2 Kg 13.7 lbs	53x53xh 10 cm 21"x21"xh 4"	7,2 Kg 15.8 lbs

DIAMOND SEGMENTS

Part No.	Barcode	Quantity	Description	Grain	Applications	Length	Width	Weight
250P24G	8024648060266	12	Diamond segment 12x40xh8mm	24	For roughing, removing cement	12x12xh 7 cm	4 3/4"x4 3/4"xh 2 3/4"	2,5 Kg 5.5 lbs
250P48R	8024648060754	12	Diamond segment 12x40xh8mm	48	For roughing, removing cement	12x12xh 7 cm	4 3/4"x4 3/4"xh 2 3/4"	2,5 Kg 5.5 lbs

TOOLS/MACHINES COMBINATIONS

Part No.	Description	IPERTITINA PLUS	IPERTITINA	MAXITITINA	SUPERTITINA	MICROTITINA
274CV100G24	Zirconium abrasive discs Ø 115 mm (4 1/2") with Velcro attachment – grain 24	•	•	-	-	•
274CV100G40	Zirconium abrasive discs Ø 115 mm (4 1/2") with Velcro attachment – grain 40	•	•	-	-	•
274CV100G60	Zirconium abrasive discs Ø 115 mm (4 1/2") with Velcro attachment – grain 60	•	•	-	-	•
274CV100G80	Zirconium abrasive discs Ø 115 mm (4 1/2") with Velcro attachment – grain 80	•	•	-	-	•
274CV100G100	Zirconium abrasive discs Ø 115 mm (4 1/2") with Velcro attachment – grain 100	•	•	-	-	•
274CV100G120	Zirconium abrasive discs Ø 115 mm (4 1/2") with Velcro attachment – grain 120	•	•	-	-	•
250PSDA	Disc holder for diamond segments (segments not included) Ø 530 mm (21")	•	•	•	-	-
250P24G	Diamond segment 12x40xh8mm (1/2"x1 1/2"xh 3/8") – grain 24 (for cement)	•	•	•	-	-
250P48R	Diamond segment 12x40xh8mm (1/2"x1 1/2"xh 3/8") – grain 48 (for cement)	•	•	•	-	-



DIAMOND PADS FOR IPERTITINA AND MICROTITINA WITH MAGNETIC ATTACHMENT

MADE IN ITALY



- The metal-bounded and resin-bounded diamond pads are available in several grits and allow the polishing and refinishing of marble, granite, terrazzo, "venetian" floors, cement, etc. . .
- The metal-bounded diamond pads (with diamond segments) allow the roughing / grinding

- of porcelain tiles, marble, granite, cement, etc. . .
- Changing the satellite tools is quick, easy and safe thanks to the "magnetic" attachments.
- Diamond pads must be used with the geared planetary only (3 or 6 satellites).

METAL-BOUNDED DIAMOND PADS WITH MAGNETIC ATTACHMENT

Part No.			Description				
274DG040/050	8024648056832	3	Metal-bounded diam. pads - mag. att.	115 mm 4 1/2"	40/50	12x12x h 7 cm 4 3/4"x4 3/4"x h 2 3/4"	1,7 Kg 3.7 lbs
274DG100/120	8024648056849	3	Metal-bounded diam. pads - mag. att.	115 mm 4 1/2"	100/120	12x12x h 7 cm 4 3/4"x4 3/4"x h 2 3/4"	1,7 Kg 3.7 lbs
274DM040/050	8024648056979	3	Metal-bounded diam. pads - mag. att.	115 mm 4 1/2"	40/50	12x12x h 7 cm 4 3/4"x4 3/4"x h 2 3/4"	1,7 Kg 3.7 lbs
274DM100/120	8024648057976	3	Metal-bounded diam. pads - mag. att.	115 mm 4 1/2"	100/120	12x12x h 7 cm 4 3/4"x4 3/4"x h 2 3/4"	1,7 Kg 3.7 lbs
274DC040/050	8024648056818	3	Metal-bounded diam. pads - mag. att.	115 mm 4 1/2"	40/50	12x12x h 7 cm 4 3/4"x4 3/4"x h 2 3/4"	1,7 Kg 3.7 lbs
274DC100/120	8024648056825	3	Metal-bounded diam. pads - mag. att.	115 mm 4 1/2"	100/120	12x12x h 7 cm 4 3/4"x4 3/4"x h 2 3/4"	1,7 Kg 3.7 lbs

RESIN-BOUNDED DIAMOND PADS CR TYPE WITH MAGNETIC ATTACHMENT

Part No.			Description				
274DTCR0030	8024648057570	3	Resin-bounded diam. pads - mag. att. CR	115 mm 4 1/2"	30	12x12x h 7 cm 4 3/4"x4 3/4"x h 2 3/4"	1,4 Kg 3 lbs
274DTCR0075	8024648057587	3	Resin-bounded diam. pads - mag. att. CR	115 mm 4 1/2"	75	12x12x h 7 cm 4 3/4"x4 3/4"x h 2 3/4"	1,4 Kg 3 lbs
274DTCR0150	8024648057594	3	Resin-bounded diam. pads - mag. att. CR	115 mm 4 1/2"	150	12x12x h 7 cm 4 3/4"x4 3/4"x h 2 3/4"	1,4 Kg 3 lbs

RESIN-BOUNDED DIAMOND PADS EPK TYPE WITH MAGNETIC ATTACHMENT

Part No.			Description				
274DTPK0050	8024648057600	3	Resin-bounded diam. pads - mag. att. EPK	115 mm 4 1/2"	50	12x12x h 7 cm 4 3/4"x4 3/4"x h 2 3/4"	1,4 Kg 3 lbs
274DTPK0120	8024648057617	3	Resin-bounded diam. pads - mag. att. EPK	115 mm 4 1/2"	120	12x12x h 7 cm 4 3/4"x4 3/4"x h 2 3/4"	1,4 Kg 3 lbs
274DTPK0220	8024648057624	3	Resin-bounded diam. pads - mag. att. EPK	115 mm 4 1/2"	220	12x12x h 7 cm 4 3/4"x4 3/4"x h 2 3/4"	1,4 Kg 3 lbs
274DTPK0400	8024648057631	3	Resin-bounded diam. pads - mag. att. EPK	115 mm 4 1/2"	400	12x12x h 7 cm 4 3/4"x4 3/4"x h 2 3/4"	1,4 Kg 3 lbs
274DTPK0600	8024648057648	3	Resin-bounded diam. pads - mag. att. EPK	115 mm 4 1/2"	600	12x12x h 7 cm 4 3/4"x4 3/4"x h 2 3/4"	1,4 Kg 3 lbs
274DTPK0800	8024648057655	3	Resin-bounded diam. pads - mag. att. EPK	115 mm 4 1/2"	800	12x12x h 7 cm 4 3/4"x4 3/4"x h 2 3/4"	1,4 Kg 3 lbs
274DTPK1800	8024648057662	3	Resin-bounded diam. pads - mag. att. EPK	115 mm 4 1/2"	1800	12x12x h 7 cm 4 3/4"x4 3/4"x h 2 3/4"	1,4 Kg 3 lbs
274DTPK3500	8024648057679	3	Resin-bounded diam. pads - mag. att. EPK	115 mm 4 1/2"	3500	12x12x h 7 cm 4 3/4"x4 3/4"x h 2 3/4"	1,4 Kg 3 lbs

RESIN-BOUNDED DIAMOND PADS EPR TYPE WITH MAGNETIC ATTACHMENT

Part No.			Description				
274DTPR0030	8024648057686	3	Resin-bounded diam. pads - mag. att. EPR	115 mm 4 1/2"	30	12x12x h 7 cm 4 3/4"x4 3/4"x h 2 3/4"	1,4 Kg 3 lbs
274DTPR0080	8024648057693	3	Resin-bounded diam. pads - mag. att. EPR	115 mm 4 1/2"	80	12x12x h 7 cm 4 3/4"x4 3/4"x h 2 3/4"	1,4 Kg 3 lbs
274DTPR0180	8024648057709	3	Resin-bounded diam. pads - mag. att. EPR	115 mm 4 1/2"	180	12x12x h 7 cm 4 3/4"x4 3/4"x h 2 3/4"	1,4 Kg 3 lbs
274DTPR0600	8024648057716	3	Resin-bounded diam. pads - mag. att. EPR	115 mm 4 1/2"	600	12x12x h 7 cm 4 3/4"x4 3/4"x h 2 3/4"	1,4 Kg 3 lbs
274DTPR1800	8024648057723	3	Resin-bounded diam. pads - mag. att. EPR	115 mm 4 1/2"	800	12x12x h 7 cm 4 3/4"x4 3/4"x h 2 3/4"	1,4 Kg 3 lbs

LIQUIDS AND POWDERS

Part No.			Description		
130CRISTB5LT	8024648074676	1	Crystallizing liquid for marble and cement (tank capacity liters 5 / 1.32 gal)	35x27xh 31 cm 13 3/4"x10 5/8"xh 12 1/4"	6,5 Kg 14.3 lbs
130CRISTPG	8024648057952	1	Polishing powder for granite (bucket capacity 5 Kg / 11 lbs)	26x26x h 26 cm 10"x10"xh 10"	5,8 Kg 12.8 lbs
130CRISTPM	8024648057969	1	Polishing powder for marble and cement (bucket capacity 5 Kg / 11 lbs)	26x26x h 26 cm 10"x10"xh 10"	5,8 Kg 12.8 lbs
130IND ASLT	8024648086914	1	Hardener liquid for cement (tank capacity liters 5 lt / 1.32 gal)	35x27xh 31 cm 13 3/4"x10 5/8"xh 12 1/4"	6,5 Kg 14.3 lbs

SUGGESTED SEQUENCES FOR POLISHING

GRANITE (WET TREATMENT ONLY)

ROUGHING		POLISHING								FINISHING
274DG040/050	274DG100/120	274DTCR0030	274DTCR0075	274DTCR0150	274DTPR0180	274DTPK0220	274DTPK0400	274DTPK0800	274DTPK1800	130CRISTPG
40/50	100/120	30	75	150	180	220	400	800	1800	POWDER

MARBLE (WET TREATMENT ONLY)

ROUGHING		POLISHING								FINISHING
274DM040/050	274DM100/120	274DTPK0050	274DTPK0120	274DTPK0400	274DTPK0800	274DTPK1800	274DTPK3500	-	-	130CRISTB
40/50	100/120	50	120	400	800	1800 [▼]	3500 [▼]	-	-	LIQUID

[▼]These grains are recommended for dark marbles only.

TERRAZZO/AGGLOMERATES (WET TREATMENT)

ROUGHING		POLISHING I° STEP				POLISHING II° STEP				CRYSTALLIZATION
274DC040/050	274DC100/120	274DTPR0030	274DTPR0080	274DTPR0180	130IND A	274DTPK0220	274DTPK0600	274DTPK1800	274DTPK3500	130CRISTB
40/50	100/120	30	80	180	HARDENER	220	600	1800	3500 [▼]	LIQUID

[▼]These grains are recommended for dark materials only.

TERRAZZO/AGGLOMERATES (DRY TREATMENT)

ROUGHING		POLISHING I° STEP				POLISHING II° STEP				CRYSTALLIZATION
274DC040/050	274DC100/120	274DTPR0030	274DTPR0080	274DTPR0180	130IND A	274DTPR0600	274DTPR1800	-	-	130CRISTB
40/50	100/120	30	80	180	HARDENER	600	1800	-	-	LIQUID

CEMENT LAYERED WITH QUARTZ (WET TREATMENT)

ROUGHING		POLISHING I° STEP			POLISHING II° STEP					CRYSTALLIZATION
-	-	274DTPR0080	274DTPR0180	130IND A	274DTPK0600	274DTPK1800	-	-	-	130CRISTB
-	-	80	180	HARDENER	600	1800	-	-	-	LIQUID

CEMENT LAYERED WITH QUARTZ (DRY TREATMENT)


ROUGHING		POLISHING I° STEP			POLISHING II° STEP					CRYSTALLIZATION
-	-	274DTPR0080	274DTPR0180	130IND A	274DTPR0600	274DTPR1800	-	-	-	130CRISTB
-	-	80	180	HARDENER	600	1800	-	-	-	LIQUID

CEMENT (WET TREATMENT)

ROUGHING		POLISHING I° STEP				POLISHING II° STEP			CRYSTALLIZATION
274DC040/050	274DC100/120	274DTPR0030	274DTPR0080	274DTPR0180	130IND A	274DTPK0600	274DTPK1800	274DTPK3500	-
40/50	100/120	30	80	180	HARDENER	600	1800	3500	-

CEMENT (DRY TREATMENT)

ROUGHING		POLISHING I° STEP				POLISHING II° STEP			CRYSTALLIZATION
274DC040/050	274DC100/120	274DTPR0030	274DTPR0080	274DTPR0180	130IND A	274DTPR0600	274DTPR1800	-	-
40/50	100/120	30	80	180	HARDENER	600	1800	-	-



BRUSHES

MADE IN ITALY



335A 207A 165A
335B 207B 165B
207C 165C



335TINEX 207TINEX 165TINEX



337 209 166



338 208 228

PACKAGE



CARTON BOX

BRUSHES

Part No.			Description			
335A	8024648015754	1	Stiff nylon brush (bristle 080)	3,6 Kg	8 lbs	3,9 Kg 8.6 lbs
335B	8024648015761	1	Medium nylon brush (bristle 065)	3,8 Kg	8.4 lbs	4,1 Kg 9 lbs
207A	8024648002518	1	Stiff nylon brush (bristle 080)	3 Kg	6.6 lbs	3,3 Kg 7.3 lbs
207B	8024648002525	1	Medium nylon brush (bristle 065)	3,2 Kg	7 lbs	3,6 Kg 8 lbs
207C	8024648002532	1	Soft nylon brush (bristle 025)	3,6 Kg	8 lbs	3,9 Kg 8.6 lbs
165A	8024648002549	1	Stiff nylon brush (bristle 080)	2,1 Kg	4.6 lbs	2,4 Kg 5.3 lbs
165B	8024648002556	1	Medium nylon brush (bristle 065)	2,4 Kg	5.3 lbs	2,7 Kg 6 lbs
165C	8024648002563	1	Soft nylon brush (bristle 025)	2,7 Kg	6 lbs	3 Kg 6.6 lbs
335TINEX	8024648015785	1	Brush with abrasive bristles (bristle 1,5)	3,8 Kg	8.4 lbs	4,1 Kg 9 lbs
207TINEX	8024648002631	1	Brush with abrasive bristles (bristle 050)	2,9 Kg	6.4 lbs	3,2 Kg 7 lbs
165TINEX	8024648002648	1		2,5 Kg	5.5 lbs	2,8 Kg 6.2 lbs
337	8024648015792	1		4,3 Kg	9.5 lbs	4,7 Kg 10.4 lbs
209	8024648002693	1	Brass coated, steel-wire brush	3,5 Kg	7.7 lbs	3,8 Kg 8.4 lbs
166	8024648002709	1		3,1 Kg	6.8 lbs	3,4 Kg 7.5 lbs
338	8024648015808	1		3,8 Kg	8.4 lbs	4,1 Kg 9 lbs
208	8024648002655	1	Brush with vegetable fiber bristles	3,1 Kg	6.8 lbs	3,4 Kg 7.5 lbs
228	8024648002662	1		2,4 Kg	5.3 lbs	2,7 Kg 6 lbs

47x47xh 9 cm
18"x18"xh 3 1/2"

Part No.	Applications		MACHINE	Part No.	Applications		MACHINE
335A	For general cleaning	480 mm 19"	IPERTITINA	335TINEX	For intensive, abrasive cleaning and also for creating an aged look in terracotta	480 mm 19"	IPERTITINA PLUS, IPERTITINA
335B				450 mm 17 3/4"		MAXITITINA	
335C				430 mm 17"		SUPERTITINA	
207A		450 mm 17 3/4"	MAXITITINA	337	For intensive cleaning	480 mm 19"	IPERTITINA PLUS, IPERTITINA
207B				450 mm 17 3/4"		MAXITITINA	
207C				430 mm 17"		SUPERTITINA	
165A	430 mm 17"	SUPERTITINA	338	For waxing	480 mm 19"	IPERTITINA PLUS, IPERTITINA	
165B			450 mm 17 3/4"		MAXITITINA		
165C			430 mm 17"		SUPERTITINA		





339VELCRO
213VELCRO
168VELCRO



339PELO
213PELO
168PELO



340N
248N
170N

340V
248V
170V

340B
248B
170B



DISC HOLDERS AND FELT DISCS

Part No.	Barcode	Quantity	Description	Weight		Dimensions	Weight	
				Kg	lbs		Kg	lbs
339VELCRO	8024648015815	1	Disc holder for felt and sponge discs with Velcro	3,1	6.8	47x47xh 10 cm 18"x18"xh 4"	3,5	7.7
339PELO	8024648015822	1	Disc holder for felt and sponge discs with points	2,6	5.7		2,9	6.4
213VELCRO	8024648002730	1	Disc holder for felt and sponge discs with Velcro	2,5	5.5		2,8	6.2
213PELO	8024648007193	1	Disc holder for felt and sponge discs with points	2,4	5.3		2,7	6
168PELO	8024648007209	1	Disc holder for felt and sponge discs with points	1,9	4.2		2,2	4.9
340N	8024648015839	5	Black felt disc (high abrasiveness)	360	12.7	53x53xh 10 cm 21"x21"xh 4"	2,8	6.2
340V	8024648015853	5	Green felt disc (medium abrasiveness)	270	9.5		2,4	5.3
340B	8024648015846	5	White felt disc (low abrasiveness)	150	5.3		1,8	4
248N	8024648002778	5	Black felt disc (high abrasiveness)	340	12		2	4.4
248V	8024648002785	5	Green felt disc (medium abrasiveness)	260	9.2		1,6	3.5
248B	8024648002792	5	White felt disc (low abrasiveness)	140	5	1	2.2	
170N	8024648002808	5	Black felt disc (high abrasiveness)	250	8.8	42x42xh 12 cm 16"x16"x h 4 3/4"	1,5	3.3
170V	8024648002815	5	Green felt disc (medium abrasiveness)	200	7		1,3	2.9
170B	8024648002822	5	White felt disc (low abrasiveness)	100	3.5		800	28.2

Part No.	Applications	Dimensions		MACHINE		
		mm	in			
339VELCRO	Disc holder for felt and sponge discs	460	18 1/8"	IPERTITINA PLUS		
339PELO				IPERTITINA		
213VELCRO		430	17"	MAXITITINA		
213PELO				380	15"	SUPERTITINA
168VELCRO						
168PELO						
340N	Black felt for intensive cleaning	483	19"	IPERTITINA PLUS		
340V	Green felt for medium trouble cleaning			IPERTITINA		
340B	White felt to wax and polish					

Part No.	Applications	Dimensions		MACHINE
		mm	in	
248N	Black felt for intensive cleaning	456	18"	MAXITITINA
248V	Green felt for medium trouble cleaning			
248B	White felt to wax and polish			
170N	Black felt for intensive cleaning	406	16"	SUPERTITINA
170V	Green felt for medium trouble cleaning			
170B	White felt to wax and polish			




MADE IN ITALY




274RT490G100 274RT490G120 274RT490G150 274RT490G180
274RT460G100 274RT460G120 274RT460G150 274RT460G180
274RT410G100 274RT410G120 274RT410G150 274RT410G180



212
167



219SPUSWE
122SPUSWE



219SPUWEL
122SPUWEL



214
388

PACKAGE



CARTON BOX

DOUBLE FACE SILICON CARBIDE MESH


Part No.	Barcode	Box Icon	Description	Grindstone Icon	Disc Icon	Weight Icon	Weight	Weight
274RT490G80	8024648017321	5	Double face silicon carbide mesh for floor finishing (wooden floor, etc.)	80	490 mm	19 1/4"	400 gr	14 oz
274RT490G220	8024648017291	5		220				
274RT460G80	8024648017246	5		80	450 mm	17 3/4"	360 gr	13 oz
274RT460G220	8024648017215	5		220				
274RT410G80	8024648017161	5	Grit 100/120/150/180 also available	80	406 mm	16"	350 gr	12 oz
274RT410G220	8024648017130	5		220				

GROUTING PADDLE, SPONGE DISCS, STEEL DISCS

Part No.	Barcode	Box Icon	Description	Weight Icon	Weight	Weight	Dimensions	Dimensions	Weight Icon	Weight	Weight
212	8024648002914	1	Grouting paddle with non-abrasive rubber	5,6 Kg	12.4 lbs	4,4 Kg	9.7 lbs	50x50xh 10 cm	20"x20"xh 4"	5,9 Kg	13 lbs
167	8024648002921	1		4,4 Kg	9.7 lbs	4,7 Kg	10.4 lbs				
272 8	8024648002945	1	Replacement rubber grouting blades, set of 8	1,7 Kg	3.8 lbs	25x15xh 10 cm	10"x6"xh 4"	1,8 Kg	4 lbs		
219SPUWEL	8024648055774	5	Sponge disc with Velcro	200 gr	7 oz	47x47xh 25 cm	18"x18"xh 10"	1 Kg	2.2 lbs		
219SPUSWE	8024648087607	5	Sweepex sponge disc with Velcro	200 gr	7 oz			1 Kg	2.2 lbs		
122SPUWEL	8024648054241	5	Sponge disc with Velcro	160 gr	5.6 oz			800 gr	28.2 oz		
219SPUSWE	8024648082770	5	Sweepex sponge disc with Velcro	160 gr	5.6 oz			800 gr	28.2 oz		
214	8024648002983	1	Steel disc	6 Kg	13.2 lbs	68x66xh 10 cm	27"x26"xh 4"	7 Kg	15.4 lbs		
388	8024648002976	1		4,5 Kg	9.9 lbs			5,2 Kg	11.5 lbs		

Part No.	Applications	Disc Icon	IPERTITINA PLUS	IPERTITINA	MAXITITINA	SUPERTITINA
212	For power grouting	500 mm	19 5/8"	•	•	•
167		420 mm	16 1/2"	•	•	•
219SPUWEL	Sponge disc to emulsify the residue of cement base grout after the grouting phase	460 mm	18 1/8"	•	•	•
219SPUSWE		460 mm	18 1/8"	•	•	•
122SPUWEL		410 mm	16"	•	•	•
219SPUSWE		410 mm	16"	•	•	•
214	For floating, smoothing of mortar base (mud beds)	600 mm	23 5/8"	•	•	•
388		510 mm	20"	•	•	•






279 490
279 450
279 400



27450G36 27445G36 27440G36
27450G100 27445G100 27440G100



27450W16 27445W16 27440W16
27450W24 27445W24 27440W24
27450W36 27445W36 27440W36



GR36



GR100



GR16



GR24



GR36

PACKAGE



CARTON BOX



BASE-PLATE (DISC HOLDER FOR ABRASIVE DISCS) AND DOUBLE FACE ABRASIVE DISCS

Part No.	Barcode	Icon	Description	Weight	Dimensions	Weight	
279 490	8024648015877	1	Disc holder for abrasive discs & sanding discs	2,4 Kg	50x50xh 10 cm 20"x 20"xh 4"	5,3 lbs	
279 450	8024648002990	1		2,2 Kg		4,9 lbs	
279 400	8024648003003	1		1,8 Kg		4 lbs	
27450G36	8024648015884	5	Double face abrasive disc made of silicon carbide	330 gr	50x50xh 10 cm 20"x 20"xh 4"	11,7 oz	
27450G100	8024648015891	5		200 gr		7 oz	
27445G36	8024648003027	5		300 gr		10,6 oz	
27445G100	8024648008954	5		180 gr		6,4 oz	
27440G36	8024648003041	5		280 gr		10 oz	
27440G100	8024648003058	5		Grit 24/60/80/120 also available		160 gr	5,7 oz
27450W16	8024648015907	2		1,2 Kg		2,6 lbs	
27450W24	8024648015914	2		1,4 Kg		3 lbs	
27450W36	8024648015921	2		1,3 Kg		2,9 lbs	
27445W16	8024648008923	2		1,1 Kg		2,4 lbs	
27445W24	8024648008947	2	Double face abrasive disc made of wolfram carbide	1,3 Kg	50x50xh 10 cm 20"x 20"xh 4"	2,9 lbs	
27445W36	8024648008930	2		1,2 Kg		2,6 lbs	
27440W16	8024648008893	2		950 gr		33,5 oz	
27440W24	8024648008909	2		1 Kg		2,2 lbs	
27440W36	8024648008916	2		700 gr		24,7 oz	

Part No.	Applications	Disc Size	Disc Thickness	MACHINE	Part No.	Applications	Disc Size	Disc Thickness	MACHINE
279 490	Disc holder for abrasive & sanding discs	490 mm	19 1/4"	- IPERT. PLUS/IPERTITINA	27450W16 27450W24 27450W36	For grinding of cement, resin, terracotta, metal	500 mm	20"	16 IPERTITINA PLUS
279 450		450 mm	17 3/4"	- MAXITITINA					24 IPERTITINA
279 400		400 mm	15 3/4"	- SUPERTITINA					36 IPERTITINA
27450G36	For sanding and abrading applications & light surface preparation	500 mm	20"	36 IPERTITINA PLUS	27445W16 27445W24 27445W36 27440W16 27440W24 27440W36	For scarifying (scratching) surfaces to improve the bonding of adhesives and to remove sealers	450 mm	17 3/4"	16 MAXITITINA
27450G100				100 IPERTITINA					24 MAXITITINA
27445G36		36 MAXITITINA	36 MAXITITINA						
27445G100		450 mm	17 3/4"	100 MAXITITINA			16 SUPERTITINA		
27440G36				36 SUPERTITINA				24 SUPERTITINA	
27440G100		400 mm	15 3/4"	100 SUPERTITINA			36 SUPERTITINA		



FLOOR PREPARATION MACHINES

